

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5018705" "6036414").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/16 14:36
S2	4	((("6905117") or ("6851542") or ("6733217") or ("6438813"))).PN.	USPAT; USOCR	OR	OFF	2005/06/16 14:27
S3	417	(409/231).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 14:36
S4	322	(409/232).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 07:32
S5	28	("0806048"   "2055651"   "2343875"   "2725775"   "3062104"   "3701911"   "3862443"   "4133230").PN. OR ("4580471").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 09:54
S6	434	(409/233).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 10:03
S7	0	("2003/0152433").URPN.	USPAT	OR	OFF	2005/06/17 10:17
S8	6	((("4815903") or ("4063786") or ("6367977") or ("5779474") or ("4514123") or ("4657412"))).PN.	USPAT; USOCR	OR	OFF	2005/06/17 10:18
S9	20	("3135071"   "4131054"   "4167218"   "4242019"   "4583894"   "Re26623").PN. OR ("4957398").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:10
S10	12	("3477121"   "3603203").PN. OR ("4480366").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 11:30
S11	15	("0955180"   "3216287"   "3391585"   "3530745"   "3740161"   "3884590"   "4037496"   "4416569"   "4580471"   "4602539"   "4615652").PN. OR ("RE34623").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 14:07
S12	5	("4037496").URPN.	USPAT	OR	OFF	2005/06/17 14:29
S13	95	spindle near (preload\$4 or pre-load\$4 or prestress\$4 or pretension\$4)	USPAT	OR	ON	2005/06/17 14:32
S14	13	spindle near (axial and (preload\$4 or pre-load\$4 or prestress\$4 or pretension\$4))	USPAT	OR	ON	2005/06/17 14:35
S15	0	(spindle and motor) near (axial and (preload\$4 or pre-load\$4 or prestress\$4 or pretension\$4))	USPAT	OR	ON	2005/06/17 14:35

S16	2	(spindle and motor) near ((preload\$4 or pre-load\$4 or prestress\$4 or pretension\$4))	USPAT	OR	ON	2005/06/17 14:37
S17	0	compressible near motor near spindle	USPAT	OR	ON	2005/06/17 14:37
S18	8	compressible near motor	USPAT	OR	ON	2005/06/17 14:38
S19	0	"409.cls" and compressible near spindle	USPAT	OR	ON	2005/06/17 14:39
S20	0	"409.cls" and compressible and spindle	USPAT	OR	ON	2005/06/20 08:15
S24	148	(409/141).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 09:41
S25	101	(409/210).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 09:49
S26	50	(409/214).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 09:54
S27	436	(409/218).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 11:21
S28	240	(408/143).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 11:56
S29	352	(408/238).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 13:17
S30	877	(408/239R).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 13:25
S31	186	(408/239A).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 14:15
S32	462	(408/240).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 15:28
S33	1011	(82/142).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 09:41
S34	354	(82/147).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 09:41
S41	5	("4082019"   "4560289"   "4831785"   "5739660").PN. OR ("6357565"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 14:36
S42	399	(188/371).CCLS.	USPAT; USOCR	OR	OFF	2005/06/20 14:41
S50	82	S32 and spindle	US-PGPUB; USPAT	OR	OFF	2005/06/20 15:29
S51	107	S33 and spindle	US-PGPUB; USPAT	OR	OFF	2005/06/20 15:56
S52	104	S34 and spindle	US-PGPUB; USPAT	OR	OFF	2005/06/20 15:38
S53	11	("2812186"   "3349982"   "3380641"   "3412916").PN. OR ("3578232"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/20 15:48

S54	12	S42 and spindle	US-PGPUB; USPAT	OR	OFF	2005/06/20 15:56
S55	925	spindle and (peripheral adj groove)	US-PGPUB; USPAT	OR	OFF	2005/06/21 07:31
S56	19	(spindle near motor) and (peripheral adj groove) and sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 07:32
S57	0	(spindle near motor) near (peripheral adj groove) and sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 07:32
S58	1	"73".clss. and shock\$absorbing	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:06
S59	2	"73".clss. and sensor\$element	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:07
S60	1680	"73".clss. and sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:08
S61	133	S60 and groove	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:08
S62	1	S60 and "peripheral groove"	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:10
S63	0	"73.clss" and ("peripheral groove" near sensor)	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:11
S64	1	"peripheral groove" near sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:10
S65	0	"73.clss" and ("peripheral groove" and sensor)	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:11
S66	0	"73.clss" and "peripheral groove" and sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:12
S67	1007	"peripheral groove" and sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:12
S68	134	"peripheral groove" same sensor	US-PGPUB; USPAT	OR	OFF	2005/06/21 09:23
S69	15	"peripheral groove" same sensor same motor	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:45
S70	182	(33/710).CCLS.	USPAT; USOCR	OR	OFF	2005/06/22 09:25
S71	12	S70 and motor	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:47
S72	7	S70 and motor and groove	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S73	0	S70 and motor and (sensor same groove)	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S74	3	S70 and motor and sensor and groove	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S75	274	(173/20).CCLS.	USPAT; USOCR	OR	OFF	2005/06/22 09:25
S76	35	S75 and switch\$4	US-PGPUB; USPAT	OR	OFF	2005/06/22 09:26